

Further conversion into *Dracaena* (Dracaenaceae)

PETER A. MANSFELD

Grotenbleken 9, D- 22391 Hamburg, Germany – post@petermansfeld.de

Abstract

The new combinations *Dracaena lalakana*, *Dracaena suffruticosa* subsp. *leiofolia* and *Dracaena suffruticosa* subsp. *argentifolia* are proposed.

Dracaena lalakana (T.C.Cole & T.G.Forrest) P.A.Mansf. **comb. nov.**

≡ *Sansevieria lalakana* T.C.Cole & T.G.Forrest, Cact. & Succulent Journal (US) 94(4): 187 (2022).

Type: Uganda, Lamwo District, c. 10 km east of Lokung town, elevation 1160 m, 21/01/2018, T.

Cole, TC 12118, (MUH holo.).

Dracaena suffruticosa (N.E.Br.) P.A.Mansf. subsp. *leiofolia* (R.H.Webb) P.A.Mansf. **comb. nov.**

≡ *Sansevieria suffruticosa* N.E.Br. subsp. *leiofolia* R.H.Webb, Sansevieria 56: 23 (2025).

Type: west of Chato, Tanzania, on the southwestern edge of Lake Victoria, elevation 1274 m,

Bhitala 1070, (NHT holo.).

Dracaena suffruticosa (N.E.Br.) P.A.Mansf. subsp. *argentifolia* (R.H.Webb) P.A.Mansf. **comb. nov.**

≡ *Sansevieria suffruticosa* N.E.Br. subsp. *argentifolia* R.H.Webb, Sansevieria 56: 22 (2025).

Type: South of Dodoma in central Tanzania, elevation 761 m. Bhitala 1071, (NHT holo.).